

BS6883 EPR/IND SCR/SW4/GSWB/SW4 150/250V

HALOGEN FREE, FLAME RETARDANT, INDIVIDUALLY SCREENED INSTRUMENTATION CABLES



CABLE DESCRIPTION

Tinned Copper Class 2 or 5 Flexible Conductors, EPR insulated, Individual foil screen + DW, LSOH (SW4), Galvanised Steel Wire Braid , LSOH (SW4) Grey or Blue ; BS6883; IEC60754 1-2 ; IEC60754 1-2 ; IEC61034 1-2; IEC60332-1 IEC60332-3 CAT A ; Voltage Rating 150/250V ; Minimum Bending Radius 8xOD

APPLICATION

These cables are used for fixed installations in all areas and on open deck in ships and offshore units

Gland sizes shown are only provided as a guide

CSWL Part No	Number Pairs/Triples	Size mm ²	OD (mm) Nominal	Weight KG/KM	Gland Size (Hawke)		SHEATH	UKOOA
							COLOUR	CODE
CSW0.75MM2PRBS6883ISGY	1PR	0.75	11.5	200	Univ O	20mm (S)	GREY	KKF00
CSW0.75MM2PRBS6883ISBU	1PR	0.75	11.5	200	Univ O	20mm (S)	BLUE	KHF00
CSW0.75MM2PRBS6883ISGY	2PR	0.75	12.7	240	Univ O	20mm (S)	GREY	-
CSW0.75MM2PRBS6883ISBU	2PR	0.75	12.7	240	Univ O	20mm (S)	BLUE	-
CSW0.75MM3PRBS6883ISGY	3PR	0.75	17.5	400	Univ A	20mm	GREY	KKH00
CSW0.75MM3PRBS6883ISBU	3PR	0.75	17.5	400	Univ A	20mm	BLUE	KHH00
CSW0.75MM5PRBS6883ISGY	5PR	0.75	20.7	590	Univ B	25mm	GREY	-
CSW0.75MM5PRBS6883ISBU	5PR	0.75	20.7	590	Univ B	25mm	BLUE	-
CSW0.75MM7PRBS6883ISGY	7PR	0.75	21.8	660	Univ B	25mm	GREY	KKJ00
CSW0.75MM7PRBS6883ISBU	7PR	0.75	21.8	660	Univ B	25mm	BLUE	KHJ00
CSW0.75MM12PRBS6883ISGY	12PR	0.75	26.5	950	Univ C	32mm	GREY	KKK00
CSW0.75MM12PRBS6883ISBU	12PR	0.75	26.5	950	Univ C	32mm	BLUE	KHK00
CSW0.75MM20PRBS6883ISGY	20PR	0.75	34.0	1560	Univ C2	40mm	GREY	KKL00
CSW0.75MM20PRBS6883ISBU	20PR	0.75	34.0	1560	Univ C2	40mm	BLUE	KHL00



Gland sizes shown are only provided as a guide

CSWL Part No	Number Pairs/ Triples	Size mm2	OD (mm) Nominal	Weight KG/KM	Gland Size (Hawke)		SHEATH	UKOOA
							COLOUR	CODE
CSW1MM1PRBS6883ISGY	1PR	1.0	11.7	210	Univ O	20mm (S)	GREY	KKF01
CSW1MM1PRBS6883ISBU	1PR	1.0	11.7	210	Univ O	20mm (S)	BLUE	KHF01
CSW1MM2PRBS6883ISGY	2PR	1.0	13.0	250	Univ O	20mm (S)	GREY	-
CSW1MM2PRBS6883ISBU	2PR	1.0	13.0	250	Univ O	20mm (S)	BLUE	-
CSW1MM3PRBS6883ISGY	3PR	1.0	17.8	430	Univ A	20mm	GREY	KKH01
CSW1MM3PRBS6883ISBU	3PR	1.0	17.8	430	Univ A	20mm	BLUE	KHH01
CSW1MM5PRBS6883ISGY	5PR	1.0	21.1	640	Univ B	25mm	GREY	-
CSW1MM5PRBS6883ISBU	5PR	1.0	21.1	640	Univ B	25mm	BLUE	-
CSW1MM7PRBS6883ISGY	7PR	1.0	22.9	740	Univ B	25mm	GREY	KKJ01
CSW1MM7PRBS6883ISBU	7PR	1.0	22.9	740	Univ B	25mm	BLUE	KHJ01
CSW1MM12PRBS6883ISGY	12PR	1.0	28.9	1200	Univ C	32mm	GREY	KKK01
CSW1MM12PRBS6883ISBU	12PR	1.0	28.9	1200	Univ C	32mm	BLUE	KHK01
CSW1MM20PRBS6883ISGY	20PR	1.0	35.6	1780	Univ C2	40mm	GREY	KKL01
CSW1MM20PRBS6883ISBU	20PR	1.0	35.6	1780	Univ C2	40mm	BLUE	KHL01
CSW1.5MM1PRBS6883ISGY	1PR	1.5	13.5	297	Univ O	20mm (S)	GREY	KKF02
CSW1.5MM1PRBS6883ISBU	1PR	1.5	13.5	297	Univ O	20mm (S)	BLUE	KHF02
CSW1.5MM2PRBS6883ISGY	2PR	1.5	15.0	350	Univ A	20mm	GREY	-
CSW1.5MM2PRBS6883ISBU	2PR	1.5	15.0	350	Univ A	20mm	BLUE	-
CSW1.5MM3PRBS6883ISGY	3PR	1.5	18.3	450	Univ A	20mm	GREY	KKH02
CSW1.5MM3PRBS6883ISBU	3PR	1.5	18.3	450	Univ A	20mm	BLUE	KHH02
CSW1.5MM5PRBS6883ISGY	5PR	1.5	21.7	675	Univ B	25mm	GREY	-
CSW1.5MM5PRBS6883ISBU	5PR	1.5	21.7	675	Univ B	25mm	BLUE	-
CSW1.5MM7PRBS6883ISGY	7PR	1.5	23.2	790	Univ B	25mm	GREY	KKJ02
CSW1.5MM7PRBS6883ISBU	7PR	1.5	23.2	790	Univ B	25mm	BLUE	KHJ02
CSW1.5MM12PRBS6883ISGY	12PR	1.5	30.5	1350	Univ C	32mm	GREY	KKK02
CSW1.5MM12PRBS6883ISBU	12PR	1.5	30.5	1350	Univ C	32mm	BLUE	KHK02
CSW1.5MM20PRBS6883ISGY	20PR	1.5	37.0	1960	Univ C2	40mm	GREY	KKL02
CSW1.5MM20PRBS6883ISBU	20PR	1.5	37.0	1960	Univ C2	40mm	BLUE	KHL02
CSW2.5MM1PRBS6883ISGY	1PR	2.5	14.5	315	Univ O	20mm (S)	GREY	KKF03
CSW2.5MM1PRBS6883ISBU	1PR	2.5	14.5	315	Univ O	20mm (S)	BLUE	KHF03
CSW0.75MM1TRBS6883ISGY	1TR	0.75	12.0	220	Univ O	20mm (S)	GREY	KKR00
CSW0.75MM1TRBS6883ISBU	1TR	0.75	12.0	220	Univ O	20mm (S)	BLUE	KHR00
CSW0.75MM3TRBS6883ISGY	3TR	0.75	19.0	460	Univ A	20mm	GREY	KKS00
CSW0.75MM3TRBS6883ISBU	3TR	0.75	19.0	460	Univ A	20mm	BLUE	KHS00
CSW0.75MM7TRBS6883ISGY	7TR	0.75	24.5	810	Univ B	25mm	GREY	KKT00
CSW0.75MM7TRBS6883ISBU	7TR	0.75	24.5	810	Univ B	25mm	BLUE	KHT00



Gland sizes shown are only provided as a guide

CSWL Part No	Number Pairs/ Triples	Size mm2	OD (mm) Nominal	Weight KG/KM	Gland Size (Hawke)		SHEATH	UKOOA
							COLOUR	CODE
CSW1MM1TRBS6883ISGY	1TR	1.0	12.5	240	Univ O	20mm (S)	GREY	KKR01
CSW1MM1TRBS6883ISBU	1TR	1.0	12.5	240	Univ O	20mm (S)	BLUE	KHR01
CSW1MM3TRBS6883ISGY	3TR	1.0	20.0	700	Univ B	25mm	GREY	KKS01
CSW1MM3TRBS6883ISBU	3TR	1.0	20.0	700	Univ B	25mm	BLUE	KHS01
CSW1MM7TRBS6883ISGY	7TR	1.0	26.0	1200	Univ C	32mm	GREY	KKT01
CSW1MM7TRBS6883ISBU	7TR	1.0	26.0	1200	Univ C	32mm	BLUE	KHT01
CSW1.5MM1TRBS6883ISGY	1TR	1.5	14.0	300	Univ O	20mm (S)	GREY	KKR02
CSW1.5MM1TRBS6883ISBU	1TR	1.5	14.0	300	Univ O	20mm (S)	BLUE	KHR02
CSW1.5MM3TRBS6883ISGY	3TR	1.5	20.5	1050	Univ B	25mm	GREY	KKS02
CSW1.5MM3TRBS6883ISBU	3TR	1.5	20.5	1050	Univ B	25mm	BLUE	KHS02
CSW1.5MM7TRBS6883ISGY	7TR	1.5	28.5	1700	Univ C	32mm	GREY	KKT02
CSW1.5MM7TRBS6883ISBU	7TR	1.5	28.5	1700	Univ C	32mm	BLUE	KHT02

Pair - white-black

Triple - white - black - red

